



VACCINES REQUIRED FOR SCHOOL ATTENDANCE, GRADES K-12

July 1, 2016 – June 30, 2017

VACCINE	Kindergarten - 5 th Grade	6 th - 9 th Grade	10 th - 12 th Grade
Hepatitis B	3 doses Dose 3 must be given on or after 24 weeks of age		3 doses Dose 3 must be given on or after 4 months of age
Diphtheria, Tetanus, and Pertussis (DTaP/DI/Td/Tdap)	5 doses (4 doses only IF 4 th dose given on or after 4 th birthday)	Plus 1 dose Tdap required for 6 th -12 th grade AND on or after 11 years of age (see page 2 for more details)	
Polio (IPV or OPV)	4 doses (3 doses only IF 3 rd dose given on or after 4 th birthday) • The final dose given on or after August 7, 2009, must be given on or after 4 years of age AND a minimum interval of 6 months from the previous dose.		4 doses (3 doses only IF 3 rd dose given on or after 4 th birthday)
Measles, Mumps, and Rubella		2 doses	
Varicella		2 doses OR Healthcare provider verified disease	

- Look at the Minimum Age and Interval Table on page 2 for recommended minimum age and spacing information.
- Review the Individual Vaccine Requirements Summary for more detailed information:
www.doh.wa.gov/CommunityandEnvironment/Schools/Immunization/VaccineRequirements.aspx

Minimum Age & Interval for Valid Vaccine Doses

Vaccine	Dose #	Minimum Age	Minimum Interval Between Doses	Notes
Hepatitis B HepB	Dose 1	Birth	4 weeks between Dose 1 & 2 (K-12 th)	<ul style="list-style-type: none"> ▪ 2 doses valid if adult Recombivax HB[®] given between ages 11 and 15 and doses separated by at least 4 months.
	Dose 2	4 weeks	8 weeks between Dose 2 & 3 (K-12 th)	
	Dose 3	24 weeks	16 weeks between Dose 1 & 3 (K-9 th)	
		4 months	12 weeks between Dose 1 & 3 (10 th -12 th)	
	Dose 5	4 years	-	
Diphtheria, Tetanus, and Pertussis DTaP/DT	Dose 1	6 weeks	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> ▪ DTaP: for children through age 6. ▪ 6 month interval is recommended between Dose 3 and Dose 4, but minimum interval of 4 months is acceptable. ▪ Students 7-10 years of age not fully immunized with DTaP should get one Tdap followed by additional doses of Td if needed. ▪ DTaP given after age 7 counts for the Tdap dose; no Tdap required at 11-12 years of age.
	Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	Dose 3	14 weeks	6 months between Dose 3 & 4	
	Dose 4	12 months	6 months between Dose 4 & 5	
	Dose 5	4 years	-	
Tetanus, Diphtheria, and Pertussis Tdap	Dose 1	10 years recommended. See notes for exceptions	-	<ul style="list-style-type: none"> ▪ Tdap: for children 7 years of age or older. ▪ If no DTaP doses given before age 7, students must get Tdap followed by 2 doses of Td. ▪ Tdap given between 7-10 years of age is valid and meets the requirement. ▪ Can be given regardless of the interval between DTaP or Td.
Tetanus and Diphtheria Td	Dose 1	7 years	5 years	<ul style="list-style-type: none"> ▪ Td: for children 7 years of age or older.
Polio IPV or OPV	Dose 1	6 weeks	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> ▪ Not required for students 18 years and older. ▪ Please see Individual Vaccine Requirements Summary for more details: www.doh.wa.gov/CommunityandEnvironment/Schools/Immunization/VaccineRequirements.a ▪ <small>SPX</small>
	Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	Dose 3	14 weeks	6 months between Dose 3 & 4	
	Dose 4	4 years	-	
Measles, Mumps, and Rubella MMR	Dose 1	12 months	4 weeks between Dose 1 & 2	<ul style="list-style-type: none"> ▪ MMRV (MMR + varicella) may be used instead of separate MMR and varicella vaccines. ▪ Must get the same day as VAR OR at least 28 days apart. ▪ 4-day grace period DOES NOT apply between Dose 1 and Dose 2 of different live vaccines, such as between MMR and Varicella or between MMR and live flu vaccine.
	Dose 2	13 months	-	
Varicella (chickenpox) VAR	Dose 1	12 months	3 months between Dose 1 & 2 (12 months through 12 years)	<ul style="list-style-type: none"> ▪ Recommended: 3 months between varicella doses, but minimum interval of 28 days acceptable. Minimum age of 13 months also acceptable. ▪ Must get the same day as MMR OR at least 28 days apart. ▪ 4-day grace period DOES apply between doses of the same live vaccine; DOES NOT apply between doses of different live vaccines.
	Dose 2	15 months	-	

if you have a disability and need this document in another format, please call 1-800-525-0127 (TDD/TTY call 711)

DOH 348-051 December 2015