

Name: _____

Representing Linear Equations

Date/Period: _____

Provide the missing equation(s), graph, table, intercepts, and/or slope:





Equations	Table	Graph	Intercepts/Slope												
Standard Format: $2x - y = -2$	<table border="1"> <tr><td>x</td><td>y</td></tr> <tr><td></td><td>0</td></tr> <tr><td>0</td><td></td></tr> <tr><td>1</td><td></td></tr> <tr><td>-3</td><td></td></tr> <tr><td>3</td><td></td></tr> </table>	x	y		0	0		1		-3		3			$x\text{-intercept} = (\underline{\hspace{2cm}}, 0)$ $y\text{-intercept} = (0, \underline{\hspace{2cm}})$ $m = \underline{\hspace{2cm}}$
x	y														
	0														
0															
1															
-3															
3															
Standard Format: Slope Intercept Format:	<table border="1"> <tr><td>x</td><td>y</td></tr> <tr><td>0</td><td>0</td></tr> <tr><td>-1</td><td>2</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>6</td></tr> <tr><td>3</td><td>-6</td></tr> </table>	x	y	0	0	-1	2	1	-2	-3	6	3	-6		$x\text{-intercept} = (\underline{\hspace{2cm}}, 0)$ $y\text{-intercept} = (0, \underline{\hspace{2cm}})$ $m = \underline{\hspace{2cm}}$
x	y														
0	0														
-1	2														
1	-2														
-3	6														
3	-6														
Standard Format: Slope Intercept Format:	<table border="1"> <tr><td>x</td><td>y</td></tr> <tr><td>-3</td><td></td></tr> <tr><td>0</td><td></td></tr> <tr><td>3</td><td></td></tr> <tr><td>-6</td><td></td></tr> <tr><td>6</td><td></td></tr> </table>	x	y	-3		0		3		-6		6			$x\text{-intercept} = (\underline{\hspace{2cm}}, 0)$ $y\text{-intercept} = (0, \underline{\hspace{2cm}})$ $m = \underline{\hspace{2cm}}$
x	y														
-3															
0															
3															
-6															
6															
Standard Format: Slope Intercept Format:	<table border="1"> <tr><td>x</td><td>y</td></tr> <tr><td></td><td>0</td></tr> <tr><td>0</td><td></td></tr> <tr><td>1</td><td></td></tr> <tr><td>-3</td><td></td></tr> <tr><td>3</td><td></td></tr> </table>	x	y		0	0		1		-3		3			$x\text{-intercept} = (\underline{\hspace{2cm}}, 0)$ $y\text{-intercept} = (0, \underline{\hspace{2cm}})$ $m = \underline{\hspace{2cm}}$
x	y														
	0														
0															
1															
-3															
3															

Name: _____

Representing Linear Equations

Date/Period: _____

KEY:





Equations	Table	Graph	Intercepts/Slope												
Standard Format: $2x - y = -2$ Slope Intercept Format: $y = 2x + 2$	<table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>1</td><td>4</td></tr> <tr><td>-3</td><td>-4</td></tr> <tr><td>3</td><td>8</td></tr> </tbody> </table>	x	y	-1	0	0	2	1	4	-3	-4	3	8	 <p>A Cartesian coordinate system showing a line with a positive slope. The x-axis ranges from -6 to 6, and the y-axis ranges from -5 to 6. The line passes through the points (-1, 0) and (0, 2), with arrows at both ends indicating it continues infinitely.</p>	$x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, 2)$ $m = 2$
x	y														
-1	0														
0	2														
1	4														
-3	-4														
3	8														
Standard Format: $2x + y = 0$ Slope Intercept Format: $y = -2x$	<table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>-1</td><td>2</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>6</td></tr> <tr><td>3</td><td>-6</td></tr> </tbody> </table>	x	y	0	0	-1	2	1	-2	-3	6	3	-6	 <p>A Cartesian coordinate system showing a line with a negative slope. The x-axis ranges from -6 to 6, and the y-axis ranges from -5 to 6. The line passes through the origin (0, 0) and has a steep negative slope, with arrows at both ends.</p>	$x\text{-intercept} = (0, 0)$ $y\text{-intercept} = (0, 0)$ $m = -2$
x	y														
0	0														
-1	2														
1	-2														
-3	6														
3	-6														
Standard Format: $2x - 3y = -6$ Slope Intercept Format: $y = \frac{2x}{3} + 2$	<table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-3</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>3</td><td>4</td></tr> <tr><td>-6</td><td>-2</td></tr> <tr><td>6</td><td>6</td></tr> </tbody> </table>	x	y	-3	0	0	2	3	4	-6	-2	6	6	 <p>A Cartesian coordinate system showing a line with a positive slope. The x-axis ranges from -6 to 6, and the y-axis ranges from -5 to 6. The line passes through the points (-3, 0) and (0, 2), with arrows at both ends.</p>	$x\text{-intercept} = (-3, 0)$ $y\text{-intercept} = (0, 2)$ $m = \frac{2}{3}$
x	y														
-3	0														
0	2														
3	4														
-6	-2														
6	6														
Standard Format: $x + y = -1$ Slope Intercept Format: $y = -x - 1$	<table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>-1</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>2</td></tr> <tr><td>3</td><td>-4</td></tr> </tbody> </table>	x	y	-1	0	0	-1	1	-2	-3	2	3	-4	 <p>A Cartesian coordinate system showing a line with a negative slope. The x-axis ranges from -6 to 6, and the y-axis ranges from -5 to 6. The line passes through the points (-1, 0) and (0, -1), with arrows at both ends.</p>	$x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, -1)$ $m = -1$
x	y														
-1	0														
0	-1														
1	-2														
-3	2														
3	-4														

Name: _____

Representing Linear Equations

Date/Period: _____

KEY:





Equations	Table	Graph	Intercepts/Slope												
A. Standard Format: $2x - y = -2$ Slope Intercept Format: $y = 2x + 2$	C. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>1</td><td>4</td></tr> <tr><td>-3</td><td>-4</td></tr> <tr><td>3</td><td>8</td></tr> </tbody> </table>	x	y	-1	0	0	2	1	4	-3	-4	3	8	D. 	B. $x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, 2)$ $m = 2$
x	y														
-1	0														
0	2														
1	4														
-3	-4														
3	8														
B. Standard Format: $2x + y = 0$ Slope Intercept Format: $y = -2x$	A. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>-1</td><td>2</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>6</td></tr> <tr><td>3</td><td>-6</td></tr> </tbody> </table>	x	y	0	0	-1	2	1	-2	-3	6	3	-6	C. 	D. $x\text{-intercept} = (0, 0)$ $y\text{-intercept} = (0, 0)$ $m = -2$
x	y														
0	0														
-1	2														
1	-2														
-3	6														
3	-6														
C. Standard Format: $2x - 3y = -6$ Slope Intercept Format: $y = \frac{2x}{3} + 2$	D. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-3</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>3</td><td>4</td></tr> <tr><td>-6</td><td>-2</td></tr> <tr><td>6</td><td>6</td></tr> </tbody> </table>	x	y	-3	0	0	2	3	4	-6	-2	6	6	B. 	A. $x\text{-intercept} = (-3, 0)$ $y\text{-intercept} = (0, 2)$ $m = \frac{2}{3}$
x	y														
-3	0														
0	2														
3	4														
-6	-2														
6	6														
D. Standard Format: $x + y = -1$ Slope Intercept Format: $y = -x - 1$	B. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>-1</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>2</td></tr> <tr><td>3</td><td>-4</td></tr> </tbody> </table>	x	y	-1	0	0	-1	1	-2	-3	2	3	-4	A. 	C. $x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, -1)$ $m = -1$
x	y														
-1	0														
0	-1														
1	-2														
-3	2														
3	-4														

Name: _____

Representing Linear Equations

Date/Period: _____

Cut apart the Equations, Tables, Graphs and Intercepts/Slopes and put together in the correct order:

Equations	Table	Graph	Intercepts/Slope												
A. Standard Format: $2x - y = -2$ Slope Intercept Format: $y = 2x + 2$	A. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>-1</td><td>2</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>6</td></tr> <tr><td>3</td><td>-6</td></tr> </tbody> </table>	x	y	0	0	-1	2	1	-2	-3	6	3	-6	A. 	A. $x\text{-intercept} = (-3, 0)$ $y\text{-intercept} = (0, 2)$ $m = \frac{2}{3}$
x	y														
0	0														
-1	2														
1	-2														
-3	6														
3	-6														
B. Standard Format: $2x + y = 0$ Slope Intercept Format: $y = -2x$	B. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>-1</td></tr> <tr><td>1</td><td>-2</td></tr> <tr><td>-3</td><td>2</td></tr> <tr><td>3</td><td>-4</td></tr> </tbody> </table>	x	y	-1	0	0	-1	1	-2	-3	2	3	-4	B. 	B. $x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, 2)$ $m = 2$
x	y														
-1	0														
0	-1														
1	-2														
-3	2														
3	-4														
C. Standard Format: $2x - 3y = -6$ Slope Intercept Format: $y = \frac{2x}{3} + 2$	C. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-1</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>1</td><td>4</td></tr> <tr><td>-3</td><td>-4</td></tr> <tr><td>3</td><td>8</td></tr> </tbody> </table>	x	y	-1	0	0	2	1	4	-3	-4	3	8	C. 	C. $x\text{-intercept} = (-1, 0)$ $y\text{-intercept} = (0, -4)$ $m = -\frac{2}{3}$
x	y														
-1	0														
0	2														
1	4														
-3	-4														
3	8														
D. Standard Format: $x + y = -1$ Slope Intercept Format: $y = -x - 1$	D. <table border="1"> <thead> <tr> <th>x</th><th>y</th></tr> </thead> <tbody> <tr><td>-3</td><td>0</td></tr> <tr><td>0</td><td>2</td></tr> <tr><td>3</td><td>4</td></tr> <tr><td>-6</td><td>-2</td></tr> <tr><td>6</td><td>6</td></tr> </tbody> </table>	x	y	-3	0	0	2	3	4	-6	-2	6	6	D. 	D. $x\text{-intercept} = (0, 0)$ $y\text{-intercept} = (0, 0)$ $m = -1$
x	y														
-3	0														
0	2														
3	4														
-6	-2														
6	6														

Name: _____

Representing Linear Equations

Date/Period: _____

Equations	Table	Graph	Intercepts/Slope

Name: _____

Representing Linear Equations

Date/Period: _____

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope

Mix and Match Recording Sheet:

Equations	Table	Graph	Intercepts & Slope